

## C38 HIGH PERFORMANCE CONE CRUSHER

The McCloskey C38 Cone Crusher is the ideal portable secondary crushing solution for the operator requiring performance rates up to 300TPH. It is designed for optimum functionality in crushing spreads with machines such as the J40 Jaw Crusher and S130 Screening Plant to produce cubical chip from 3/8" to 5 3/4" in size.

The C38 distinguishes itself as an entry-level cone with full-level features like an anti-spin system, load and material level monitoring, fully hydraulic push button Closed Side Setting (CSS) adjust and full hydraulic relief system.



**Feeder**  
Heavy duty Hardox® steel hopper with adjustable feed rate via control panel, remote control or fully automatic regulation with feedback from the cone.



**Crusher**  
Built to be reliable in the toughest operating conditions, the cone on the C38 produces 10mm (3/8") (Fine liner) to 146mm (5 3/4") product.



**Power Unit**  
CAT C9 350hp (261 kw) engine with generous access for maintenance. Innovative hydraulic system provides significant improvements in fuel economy.



**Metal Detector**  
A standard feature, the metal detector automatically stops the feeder when metal is detected as a way to prevent damage to the cone.



**Conveyor**  
Wide 42" conveyor lowers and raises hydraulically and is easily removable for maintenance.

C38

Engine: 350 hp (261 kw) CAT C9 Diesel  
Transport Height: 11' 2" (3.4m)  
Transport Length: 48' 10" (14.9m)  
Transport Width: 8' 2.4" (2.5m)  
Stockpile Height: 10' 7" (3230mm)  
Weight: 88,184 lbs (38,000 kg) estimated

C38  
HIGH PERFORMANCE  
CONE CRUSHER

[www.mccloskeyinternational.com](http://www.mccloskeyinternational.com)

McCloskey International reserves the right to make changes to the information and design of the machines on this brochure without reservation and notification to the users. Information at time of print considered accurate – McCloskey International assumes no liability resulting from errors or omissions in this document.

HARDOX is a registered trademark of SSAB Oxelösund AB.